

anti- FMN2 antibody

Product Information

Catalog No.: FNab03166

Size: 100µg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Required for asymmetric spindle positioning, asymmetric oocyte division and polar body extrusion during female germ cell meiosis(By similarity). Actin-binding protein that is involved in actin cytoskeleton assembly and reorganization. Acts as an actin nucleation factor and promotes assembly of actin filaments together with SPIRE1 and SPIRE2. Involved in intracellular vesicle transport along actin fibers, providing a novel link between actin cytoskeleton dynamics and intracellular transport. Plays a role in responses to DNA damage, cellular stress and hypoxia by protecting CDKN1A against degradation, and thereby plays a role in stress-induced cell cycle arrest. Protects cells against apoptosis by protecting CDKN1A against degradation.

Immunogen information

Immunogen: formin 2

Synonyms: FMN2, formin 2

Observed MW: 195 kDa Uniprot ID: Q9NZ56

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human, Mouse

Tested Application: ELISA, IHC

Recommended dilution: IHC: 1:50-1:500

Image:



Immunohistochemistry of paraffin-embedded human ovary tumor using FNab03166(FMN2 antibody) at dilution of 1:50